

Please type a plus (+) inside this box - ☒

A

PTO/SB/29 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

12/18/98
1503 US PTO

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

2988-644

Total Pages

3

First Named Inventor or Application Identifier

Denis BERTIN

Express Mail Label No.

EM 061 017 676 US

12/18/98
U.S. PTO
1503 US PTO

APPLICATION ELEMENTS
See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form
Submit an original, and a duplicate for fee processing
2. ☒ Specification [Total Pages 35]
(preferred arrangement set forth below)
 - Descriptive title of the Invention
 - Cross Reference to Related Applications
 - Statement Regarding Fed sponsored R&D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings *(if filed)*
 - Claim(s)
 - Abstract of the Disclosure
- ☐ Drawing(s) (35 USC 113) [Total Sheet(s)]
- ☒ Oath or Declaration (unexecuted) [Total Sheets 2]
 - a. ☐ Newly executed (original or copy)
 - b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
 - i. ☐ DELETION OF INVENTORS(S)
Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33 (b).
- ☐ Incorporation By Reference *(useable if Box 4b is checked)*
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program *(Appendix)*
7. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document *(if applicable)*
11. ☒ Information Disclosure Statement (IDS)/PTO-1449 ☒ Copies of IDS cite.
12. ☒ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity ☐ Statement filed in prior application,
Statement(s) Status still proper and desired
15. ☒ Certified Copy of Priority Document(s) FR 97 16690
(if foreign priority is claimed)
16. ☒ Other: Utility Patent Fee Calculation and French
preliminary search report.

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No. filed

18. CORRESPONDENCE ADDRESS

☒ Customer Number or Bar Code Label

20583

(Insert Customer No. or Attach bar code label here)

or ☐ Correspondence address below

NAME

ADDRESS

CITY

STATE

ZIP CODE

COUNTRY

TELEPHONE

FAX

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

PENNIE & EDMONDS LLP

COUNSELORS AT LAW
1155 Avenue of the Americas
New York, N.Y. 10036-2711
(212) 790-9090

ATTORNEY DOCKET NO. 2988-644Date December 18, 1998

Assistant Commissioner for Patents
Box PATENT APPLICATION
Washington, D.C. 20231

Sir:

The following utility patent application is enclosed for filing:

Applicant(s): Denis BERTIN

Executed on:

Title of Invention: CONTROLLED RADICAL POLYMERIZATION PROCESS USING A SMALL AMOUNT OF
STABLE FREE RADICAL

Pages of Specification 34 + abstract

Sheets of Drawing

PATENT APPLICATION FEE VALUE


TYPE	NO. FILED	LESS	EXTRA	EXTRA RATE	FEE
Total Claims	33	-20	13	\$22.00 each	286.00
Independent	1	-3	0	\$82.00 each	0.00
Minimum Fee					\$ 760.00
Multiple Dependency Fee If Applicable (\$270.00)					
Total					1,046.00
50% Reduction for Independent Inventor, Nonprofit Organization or Small Business Concern (a verified statement as to the applicant's status is attached)					-
Total Filing Fee					\$ 1,046.00

Priority of application no. FR 97 16690 filed on December 30, 1997 in France is claimed under 35 U.S.C. §119, a certified copy of the French priority application is enclosed.

A preliminary amendment, a French Preliminary Search Report issued on FR 97 16690, an unexecuted Declaration And Power Of Attorney, and an Information Disclosure Statement with form PTO-1449 and cited references are also submitted herewith.

Please charge the required fee to Pennie & Edmonds LLP Deposit Account No. 16-1150. A copy of this sheet is enclosed.

Respectfully submitted,



Charles E. Miller
PENNIE & EDMONDS LLP

24, 576
(Reg. No.)

Enclosures

This form is not for use with re-issue, design or plant patent applications.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Denis BERTIN	Group Art Unit: To be assigned
Serial No.: To be assigned	Examiner: To be assigned
Filed: On even date herewith	Attorney Docket No.: 2988-644
For: CONTROLLED RADICAL POLYMERIZATION PROCESS USING A SMALL AMOUNT OF STABLE FREE RADICAL	New York, New York December 18, 1998

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231
ATTN: Box Patent Application

Sir:

Please amend the above-identified application as follows:

IN THE SPECIFICATION:

Page 1, line 3, please insert --**TECHNICAL BACKGROUND OF THE INVENTION**-- as a line of header.

Page 1, between lines 8 and 9, please insert --**BRIEF DESCRIPTION OF THE RELATED ART**-- as a line of header.

Page 2, before line 1, please insert --**SUMMARY OF THE INVENTION**-- as a line of header.

Page 3, before line 1, please insert --**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**-- as a line of header.

IN THE CLAIMS:

Please amend claims 1, 5, 7, 9, 12, 14, 16, 18-22, 24-26 and 28 and add claims 30-33 as follows:

Claim 1, lines 15, 18, 22, and 26, delete “-“ at the beginning of sentence;

Claim 1, lines 3-4, delete “**which can be polymerized**”;

Claim 1, line 6, delete “**said**” after “the”.

Claim 5, lines 1 to 2, amend “one of Claims 1 to 4” to -- **claim 1**--.

Claim 7, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 9, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 12, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 14, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 16, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 18, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 19, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 20, lines 1 to 2, amend “one of the preceding claims” to -- **claim 1** --.

Claim 21, lines 2 to 3, amend “one of Claims 1 to 20” to -- **claim 1**--.

Claim 22, lines 2 to 3, amend “one of Claims 1 to 20” to -- **claim 1**--.

Claim 24, lines 1 to 2, amend “one of Claims 21 to 23” to -- **claim 21**--.

Claim 25, lines 1 to 2, amend "one of Claims 21 to 23" to -- **claim 21**--.

Claim 26, lines 2 to 3, amend "one of Claims 1 to 20" to -- **claim 1**--.

Claim 28, lines 1 to 2, amend "one of the preceding claims" to -- **claim 1** --.

Please add claims 30-33 as follows:

--30. Process according to claim 22, characterized in that, between the formation of two blocks, the temperature is at least equal to the lower temperature used to produce one of the two blocks.--

--31. Process according to claim 23, characterized in that, between the formation of two blocks, the temperature is at least equal to the lower temperature used to produce one of the two blocks.--

--32. Process according to claim 22, characterized in that, between the formation of two blocks, the temperature remains at least equal to 100°C.--

--33. Process according to claim 23, characterized in that, between the formation of two blocks, the temperature remains at least equal to 100°C.--

IN THE ABSTRACT OF THE DISCLOSURE:

Please delete lines 2-12 including three (3) rows of asterisks before the text of the abstract.


REMARKS

Claims 1-33 are in the case. Headers have been inserted into the specification. Claims 1, 5, 7, 9, 12, 14, 16, 18-22, 24-26 and 28 have been amended to delete the multiple claim dependency. Claims 30-31 and 32-33 have been added to direct to the subject matter in canceled claims 24 and 25, respectively. The abstract of the disclosure has been amended to conform to USPTO requirements.

No fee is believed to be due for this amendment. Should any fee be required, please charge same to Deposit Account No. 16-1150.

Respectfully submitted,

Date December 18, 1998



24,576

CHARLES E. MILLER

(Reg. No.)

PENNIE & EDMONDS LLP
1155 Avenue of the Americas
New York, New York 10036-2711
(212) 790-9090

Attorneys For Applicants

**CONTROLLED RADICAL POLYMERIZATION PROCESS USING
A SMALL AMOUNT OF STABLE FREE RADICAL**

* * * * *

The invention relates to a process for the
5 polymerization or copolymerization of at least one
monomer which can be polymerized or copolymerized via a
radical route, in the presence of a stable free radical
and of a polymerization or copolymerization initiator.

Radical polymerization in the presence of a
10 stable free radical can lead to a polymer with narrow
polydispersity. According to the prior art, high
concentrations of stable free radical are required to
obtain such an effect. The use of such amounts of
stable free radical is economically disadvantageous
15 and, furthermore, can pose toxicity or organoleptic
problems depending on the use of the final polymer or
copolymer. Furthermore, these processes of the prior
art have very slow kinetics and do not even make it
possible to polymerize or copolymerize certain monomers
20 such as methacrylates. The process according to the
invention offers a solution to the abovementioned
problems since it allows the use of a very small amount
of stable free radical, while at the same time leading,
at high rates, to polymers or copolymers with narrow
25 polydispersity, even for methacrylates.

The process according to the invention allows
the preparation of block polymers and grafted polymers
whose grafts can be block polymers.

The process according to the invention comprises a step of polymerization or copolymerization of at least one monomer which can be polymerized via a radical route, in the presence of a polymerization or
 5 copolymerization initiator and of a stable free radical, the said step being such that, per 100 mol of monomer,

- if (SFR) represents the number of moles of stable free radical in the polymerization or
 10 copolymerization medium,

- if F_{SFR} represents the functionality of the stable free radical, i.e. the number of sites on the same stable free radical molecule in stable free radical form,

15 - if (INIT) represents the number of moles of polymerization or copolymerization initiator in the polymerization or copolymerization medium,

- if F_{INIT} represents the functionality of the initiator, i.e. the number of sites in free radical
 20 form which each initiator molecule is capable of generating,

the following relationships exist:

$$\frac{F_{SFR} \times (SFR)}{F_{INIT} \times (INIT)} < 0.15$$


25

$$F_{INIT} \times (INIT)$$

and


$$F_{SFR} \times (SFR) < 0.2 \text{ mol.}$$

As an example of a stable free radical whose functionality F_{SFR} is equal to 1, mention may be made of a molecule represented by



5 in which the groups R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 represent alkyl radicals.

As an example of a stable free radical whose functionality F_{SFR} is equal to 2, mention may be made of a molecule represented by:




10

in which the groups R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 represent alkyl radicals and n represents a non-zero integer.

As an example of an initiator whose
15 functionality F_{INIT} is 2, mention may be made of dicumyl peroxide.

As an example of an initiator whose
functionality F_{INIT} is 4, mention may be made of ethyl
3,3-di(tert-amylperoxy)butyrate, which can be
20 represented by:



since it contains two -O-O- sequences which are each capable of generating two sites in free radical form, i.e. -O*.

5 Needless to say, it does not constitute a departure from the context of the present invention to introduce the stable free radical in the form of a molecule comprising a group capable of generating a stable free radical during the step according to the
10 invention.

For example, when, in the context of the step of the invention, a molecule is introduced comprising a group which may be represented by -A-Y, the said group being capable of generating a stable free radical Y*
15 during the step according to the invention, all of the groups -A-Y introduced at the start should be taken into account in the context of the determination of the amount (SFR) mentioned above. Still in the context of this example, if, simultaneously with the formation of
20 Y*, the group -A* is a polymerization or copolymerization initiator, all of the groups -A-Y introduced at the start should also be taken into

account in the context of the determination of the amount (INIT) mentioned above.

As an example of a group which generates a stable free radical, mention may be made of the groups
 5 $=N-O-X$ with which US Patent 4,581,429 is concerned, the said group being capable of generating in the polymerization or copolymerization medium a group $=N-O^{\cdot}$, which is a stable free radical, and a group X^{\cdot} , which is a free radical which initiates the polymerization of a
 10 monomer M, so as to form the sequence $=N-O-(M)_n-X$, n representing a non-zero integer.

The species $=N-O-X$ is thus a stable free radical generator whose functionality F_{SFR} is 1.

The species $=N-O-X$ is also a polymerization
 15 or copolymerization initiator since it is capable of generating a polymerization-initiating free radical, X^{\cdot} , and its initiator functionality F_{INIT} is 1.

Preferably, per 100 mol of monomer, $F_{INIT} \times$
 (INIT) ranges from 0.01 to 20 mol and more preferably
 20 from 0.1 to 2 mol.

Preferably, per 100 mol of monomer, $F_{SFR} \times$
 (SFR) ranges from 0.0001 to 0.2 and more preferably from 0.0005 to 0.1.

Preferably,

$$\begin{array}{l}
 25 \qquad \qquad \qquad F_{SFR} \times (SFR) \\
 0.0005 < \frac{\qquad \qquad \qquad}{F_{INIT} \times (INIT)} < 0.15
 \end{array}$$

More preferably,

$$0.005 < \frac{F_{\text{SFR}} \times (\text{SFR})}{F_{\text{INIT}} \times (\text{INIT})} < 0.1$$

It is also possible to have

5
$$0.005 < \frac{F_{\text{SFR}} \times (\text{SFR})}{F_{\text{INIT}} \times (\text{INIT})} < 0.05$$

The step of the process according to the invention can be carried out at from 100 to 250°C and
10 is preferably carried out at from 130 to 200°C.

The step of the process according to the invention can be carried out for a sufficient duration which depends on the desired degree of conversion of the monomer into polymer or copolymer. Short durations,
15 of about 5 minutes to 2 hours, and more generally from 15 minutes to 1 hour, can even be obtained for degrees of conversion of monomer of greater than 50%, or even 90%.

The step of the process according to the invention can be carried out in the presence of a
20 solvent, but also with very little solvent, or even in the absence of solvent. As an example, the solvent can be present in the proportion of from 0 to 50%, or even 0 to 20% and even 0 to 10%, of the weight of the sum of
25 the mass of monomer and solvent. The term solvent is generally understood to refer to a liquid which is inert with respect to the reaction medium and which at least partially dissolves at least one monomer and/or

polymer and/or copolymer under the polymerization or copolymerization conditions. Generally, if necessary, an organic solvent such as an aromatic compound, for instance toluene, xylene, benzene or ethylbenzene, or
5 an aliphatic or alicyclic solvent, for instance cyclohexane, hexane or heptane, or an ether, such as diphenyl ether, is used.

The process according to the invention makes it possible to prepare block copolymers since the
10 polymerization of a first monomer by the process according to the invention leads to a living polymer block. It is then possible to attach to this first block a block of another polymer by placing the first living polymer block in a polymerization medium of a
15 second monomer. It is thus possible to prepare block copolymers, for example copolymers comprising one or more polystyrene blocks and one or more polybutadiene blocks, or copolymers comprising one or more polystyrene blocks and one or more methacrylate-type
20 blocks.

Needless to say, it is possible to attach as many blocks as desired to the living polymer by placing it in a polymerization medium of a monomer from which it is desired to make a block.

25 Thus, the invention also relates to a process for the preparation of a block polymer comprising at least one step according to the invention, leading to a first living block, the said living block then being

placed in the presence of at least one other monomer from which it is desired to make a block attached to the first block, so as to form a living diblock, and so on, depending on the number of blocks which it is
5 desired to produce.

Thus, the present invention also relates to a process for the preparation of a diblock polymer, comprising a step of polymerization of a first monomer in accordance with the invention, so as to obtain a
10 first living block, followed by a step during which the first living block is placed in the presence of a second monomer which is polymerized, so as to form a second block attached to the first block.

The present application thus also relates to
15 a process for the preparation of a triblock polymer comprising a step of polymerization of a third monomer in the presence of the diblock polymer prepared in accordance with what has just been stated, so as to form a third block attached to the diblock polymer.

20 The formation of each block can be carried out at a different temperature. However, between the formation of two blocks, it is preferable not to lower the temperature of the medium to a temperature below the lower of the temperatures used for the formation of
25 each of the two blocks. Preferably, the temperature of the medium is maintained at at least 100°C throughout the process for formation of the blocks, i.e. during

the formation of the blocks, but also between their formation.

As examples, the following block polymers can be prepared:

- 5 polystyrene-b-poly(methyl methacrylate),
 polystyrene-b-poly(styrene sulphonate),
 polystyrene-b-polyacrylamide,
 polystyrene-b-polymethacrylamide,
 poly(methyl methacrylate)-b-poly(ethyl acrylate),
- 10 polystyrene-b-poly(butyl acrylate),
 polybutadiene-b-poly(methyl methacrylate),
 polyisoprene-b-poly(styrene-co-acrylonitrile),
 polybutadiene-b-poly(styrene-co-acrylonitrile),
 poly(styrene-co-butyl acrylate)-b-poly(methyl
- 15 methacrylate),
 polystyrene-b-poly(vinyl acetate),
 polystyrene-b-poly(2-hexylethyl acrylate),
 polystyrene-b-poly(methyl methacrylate-co-hydroxyethyl
 acrylate),
- 20 polystyrene-b-polybutadiene-b-poly(methyl
 methacrylate),
 polybutadiene-b-polystyrene-b-poly(methyl
 methacrylate),
 polystyrene-b-poly(butyl acrylate)-b-polystyrene,
- 25 polystyrene-b-polybutadiene-b-polystyrene,
 polystyrene-b-polyisoprene-b-polystyrene.

By virtue of the possibility of using little or no solvent, the process according to the invention

can, for example, be carried out in an extruder. It is thus possible to prepare a polymer or copolymer in the extruder so as to obtain after extrusion a converted product, for example in the form of granules, profiles, tubes, sheets, films or plates.

A block polymer can be prepared at least partially, or even entirely, in the extruder. In this case, the process can be performed, for example, in one of the following two ways:

1. a first living block of a monomer is prepared in a reactor in accordance with the process according to the invention. This first block is then introduced into the extruder along with the second type of monomer which it is desired to place next to the first block, as second block. The copolymerization by formation of the second block is carried out in the extruder.
2. a first monomer is introduced into the top of the extruder and is polymerized in the first part of the extruder, in accordance with the process according to the invention. The second monomer is then introduced during extrusion of the first monomer block and the copolymerization by formation of the second block is carried out in the second part of the extruder.

Needless to say, the invention is not limited to the formation of homopolymers, random copolymers or diblock copolymers. Copolymers comprising more than two blocks can also be prepared, for example by introducing
5 into an extruder as many monomers as there are blocks which it is desired to insert into the final copolymer.

If so desired, all of the polymerization steps leading to the block polymer can thus be carried out in an extruder.

10 The process according to the invention allows the preparation of polymers grafted with grafts of homopolymeric or block-polymeric nature. The reason for this is that the polymerization of a monomer in the presence of a stable free radical and of a
15 polymerization macroinitiator leads to a block of living polymer grafted onto the polymer chain of the initial macroinitiator. The term macroinitiator is in fact understood to refer to a polymer in which at least one atom is capable of taking a radical form under the
20 conditions of formation of the said block, the said radical form being capable of initiating the polymerization of the monomer intended to form the said block. Such macroinitiators are described in French Patent Application filed under the number 97/13383. The
25 block thus formed is living since it has at its end a group capable of generating the stable free radical. It is thus possible to attach a second block to this first block by placing the polymer grafted with the first

block in the presence of another monomer, so as to polymerize that monomer after the first block. After the formation of this second block, the polymer appears grafted with a diblock copolymer and still has at its
5 end a group capable of generating the stable free radical.

Needless to say, it is possible to attach as many blocks as desired to the living polymer by placing it in a medium for polymerization of a monomer from
10 which it is desired to make a block.

Thus, the invention also relates to a process for the preparation of a grafted polymer comprising at least one step according to the invention leading to a polymer grafted with a first living block, the said
15 living block then being placed in the presence of at least one other monomer from which it is desired to make a block attached to the first block, so as to form a polymer grafted with a living diblock, and so on, depending on the number of blocks which it is desired
20 to produce for the graft.

The formation of each block can be carried out at a different temperature. However, between the formation of two blocks, it is preferable not to lower the temperature of the medium to a temperature below
25 the lower of the temperatures used for the formation of each of the two blocks. Preferably, the temperature of the medium is maintained at at least 100°C throughout the process of formation of the blocks, i.e. during the

formation of the blocks, but also between their formation.

As examples, the following grafted copolymers can be prepared:

- 5 polyethylene-g-polystyrene,
polyethylene-g-poly(methyl methacrylate),
polyethylene-g-poly(styrene-co-acrylonitrile),
polyethylene-g-poly(styrene-co-hydroxyethyl acrylate),
polyethylene-g-(polystyrene-b-poly(methyl meth-
10 acrylate)),
polypropylene-g-polystyrene,
polypropylene-g-poly(methyl methacrylate),
polypropylene-g-poly(styrene-co-acrylonitrile),
polypropylene-g-(polystyrene-b-poly(methyl meth-
15 acrylate)),
poly(ethylene-co-glycidyl methacrylate)-g-polystyrene,
poly(styrene-co-acrylonitrile),
polypropylene-g-(polystyrene-b-poly(methyl meth-
acrylate)),
20 poly(ethylene-co-glycidyl methacrylate)-g-polystyrene,
poly(ethylene-co-glycidyl methacrylate)-g-poly(methyl
methacrylate),
poly(ethylene-co-glycidyl methacrylate)-g-poly(styrene-
co-acrylonitrile),
25 poly(ethylene-co-ethyl acrylate)-g-polystyrene,
poly(ethylene-co-ethyl acrylate)-g-poly(methyl
methacrylate),

- poly(ethylene-co-ethyl acrylate)-g-poly(styrene-co-acrylonitrile),
- poly(ethylene-co-vinyl acetate)-g-polystyrene,
- poly(ethylene-co-ethyl acrylate-co-maleic anhydride)-g-
- 5 polystyrene,
- poly(ethylene-co-ethyl acrylate-co-maleic anhydride)-g-
- poly(methyl methacrylate),
- poly(ethylene-co-ethyl acrylate-co-maleic anhydride)-g-
- poly(styrene-co-acrylonitrile),
- 10 poly(ethylene-co-butyl acrylate)-g-polystyrene,
- poly(ethylene-co-butyl acrylate)-g-poly(methyl methacrylate),
- poly(ethylene-co-butyl acrylate)-g-poly(styrene-co-acrylonitrile),
- 15 poly(ethylene-co-ethyl acrylate-co-glycidyl methacrylate)-g-polystyrene,
- poly(ethylene-co-ethyl acrylate-co-glycidyl methacrylate)-g-poly(methyl methacrylate),
- poly(ethylene-co-ethyl acrylate-co-glycidyl
- 20 methacrylate)-g-poly(styrene-co-acrylonitrile),
- polycarbonate-g-polystyrene,
- polycarbonate-g-poly(methyl methacrylate),
- polycarbonate-g-poly(styrene-co-acrylonitrile).

Here also, the formation of the grafted

25 polymer can be carried out at least partially, or even entirely, in an extruder. If so desired, all of the polymerization steps leading to the grafted polymer can be carried out in an extruder.

A stable free radical should not be confused with free radicals which are very short-lived (a few milliseconds), such as the free radicals derived from the usual polymerization initiators, for instance

5 peroxides, hydroperoxides and azo-type initiators. Polymerization-initiating free radicals tend to accelerate the polymerization. In contrast, stable free radicals generally tend to slow down the polymerization. It can generally be stated that a free

10 radical is stable within the sense of the present invention if it is not a polymerization initiator and if, under the working conditions of the present invention, the average lifetime of the radical is at least five minutes. During this average lifetime, the

15 molecules of the stable free radical alternate continuously between the radical form and the form of a group attached via a covalent bond to a polymer chain. Needless to say, it is preferable for the stable free radical to have good stability throughout its use in


20 the context of the present invention. Generally, a stable free radical can be isolated in radical form at room temperature.

It is recalled that the notion of a stable free radical is known to those skilled in the art to

25 denote a radical which is so persistent and so unreactive towards air and atmospheric moisture that the pure radical can be handled and stored with no more precautions at room temperature than for most

commercial chemical products (see in this respect D. Griller and K. Ingold, Accounts of Chemical Research, 1976, 9, 13-19, or Organic Chemistry of Stable Free Radicals, A. Forrester et al., Academic Press, 1968).

- 5 The family of stable free radicals includes in particular compounds which act as radical polymerization inhibitors, stable nitroxide radicals, i.e. radicals comprising the group $=N-O\cdot$. It is possible to use as stable free radical, for example, the
- 10 radicals represented by the following formulae:



in which n represents a non-zero integer and R_1, R_2, R_3, R_4, R'_1 and R'_2 , which may be identical or different, represent a halogen atom such as chlorine, bromine or iodine, a linear, branched or cyclic, saturated or unsaturated hydrocarbon-based group such as an alkyl or phenyl radical, or an ester group $-COOR$ or an alkoxy group $-OR$, or a phosphonate group $-PO(OR)_2$, or a polymer chain which may be, for example, a poly(methyl methacrylate), polybutadiene or polyolefin chain such as a polyethylene or polypropylene chain, but preferably being a polystyrene chain, and in which R_5, R_6, R_7, R_8, R_9 and R_{10} , which may be identical or different, can be chosen from the same family of groups as that which has just been envisaged for R_1, R_2, R_3, R_4, R'_1 and R'_2 , and can furthermore represent a hydrogen atom, a hydroxyl group $-OH$ or an acid group such as $-COOH$ or $-PO(OH)_2$ or $-SO_3H$.

In particular, the stable free radical can be 2,2,5,5-tetramethyl-1-pyrrolidinyloxy sold under the brand name PROXYL or 2,2,6,6-tetramethyl-1-piperidyloxy, generally sold under the name TEMPO.

The stable free radical can also be chosen from the following list

- N-tert-butyl-1-phenyl-2-methylpropyl nitroxide,
- N-tert-butyl-1-(2-naphthyl)-2-methylpropyl nitroxide,

- N-tert-butyl-1-diethylphosphono-2,2-dimethylpropyl nitroxide,
- N-tert-butyl-1-dibenzylphosphono-2,2-dimethylpropyl nitroxide,
- 5 - N-phenyl-1-diethylphosphono-2,2-dimethylpropyl nitroxide,
- N-phenyl-1-diethylphosphono-1-methylethyl nitroxide,
- N-(1-phenyl-2-methylpropyl)-1-diethylphosphono-1-methylethyl nitroxide,
- 10 - 4-hydroxy-2,2,6,6-tetramethyl-1-piperidyloxy,
- 4-oxo-2,2,6,6-tetramethyl-1-piperidyloxy,
- 2,4,6-tri-tert-butylphenoxy.
- 15 The initiator is a radical polymerization or copolymerization initiator. This initiator is preferably chosen such that its half-life at the temperature chosen for the step of the process according to the invention ranges from 30 seconds to 1
- 20 hour and preferably from 5 minutes to 30 minutes.

The initiator can be chosen, for example, from diacyl peroxides, peroxyesters, dialkyl peroxides and peroxyacetals.

The initiator can be chosen, for example, from the following list:

- dibenzoyl peroxide,
- di(o-methylbenzoyl) peroxide,
- bis(3,5,5-trimethylhexanoyl) peroxide,

- didecanoyl peroxide,
- dilauroyl peroxide,
- tert-butyl peroxybenzoate,
- tert-butyl peroxy-3,5,5-trimethylhexanoate,
- 5 - 2,5-dimethyl-2,5-di(benzoylperoxy)hexane,
- OO-tert-butyl O-isopropyl
monoperoxy carbonate,
- OO-tert-butyl O-(2-ethylhexyl)
monoperoxy carbonate,
- 10 - tert-amyl peroxy-3,5,5-trimethylhexanoate,
- tert-butyl peroxy-2-ethylhexanoate,
- tert-amyl peroxy-2-ethylhexanoate,
- tert-butyl peroxy pivalate,
- tert-amyl peroxy pivalate,
- 15 - tert-butyl peroxyneodecanoate,
- tert-amyl peroxyneodecanoate,
- α -cumyl peroxyneodecanoate,
- 3-hydroxy-1,1-dimethylbutyl
peroxyneodecanoate,
- 20 - 2,5-dimethyl-2,5-di(tert-
butylperoxy)hexane,
- 2,5-dimethyl-2,5-di(tert-butylperoxy)hex-3-
yne,
- tert-butyl cumyl peroxide,
- 25 - dicumyl peroxide,
- di-tert-butyl peroxide,
- 1,1-di(tert-butylperoxy)-3,3,5-
trimethylcyclohexane,


- 1,1-di(tert-butylperoxy)cyclohexane,
- 2,2-di(tert-butylperoxy)butane,
- n-butyl 4,4-di(tert-butylperoxy)valerate,
- ethyl 3,3-di(tert-butylperoxy)butyrate,
- 5 - ethyl 3,3-di(tert-amylperoxy)butyrate.

The term monomer is understood to refer to any monomer which can be polymerized or copolymerized via a radical route.

The monomer can be chosen from vinyl,
10 vinylidene, diene, olefinic and allylic monomers.

The term vinyl monomers is understood to refer to (meth)acrylates, vinylaromatic monomers, vinyl esters, (meth)acrylonitrile, (meth)acrylamide and mono- and di(C₁-C₁₈ alkyl)(meth)acrylamides, and monoesters
15 and diesters of maleic anhydride and of maleic acid.

The (meth)acrylates are, in particular, those of the respective formulae:



in which R⁰ is chosen from linear or branched, primary,
20 secondary or tertiary C₁-C₁₈ alkyl radicals, C₅-C₁₈ cycloalkyl radicals, (C₁-C₁₈)alkoxy(C₁-C₁₈)alkyl radicals, (C₁-C₁₈)alkylthio(C₁-C₁₈)alkyl radicals, aryl radicals and arylalkyl radicals, these radicals being optionally substituted with at least one halogen atom
25 and/or at least one hydroxyl group after protection of

this hydroxyl group, the above alkyl groups being linear or branched; and glycidyl, norbornyl and isobornyl (meth)acrylates.

As examples of useful methacrylates, mention
5 may be made of methyl, ethyl, 2,2,2-trifluoroethyl, n-propyl, isopropyl, n-butyl, sec-butyl, tert-butyl, n-amyl, isoamyl, n-hexyl, 2-ethylhexyl, cyclohexyl, octyl, isooctyl, nonyl, decyl, lauryl, stearyl, phenyl, benzyl, β -hydroxyethyl, isobornyl, hydroxypropyl or
10 hydroxybutyl methacrylate.

As examples of acrylates of the above formula, mention may be made of methyl, ethyl, n-propyl, isopropyl, n-butyl, sec-butyl, tert-butyl, hexyl, 2-ethylhexyl, isooctyl, 3,3,5-trimethylhexyl,
15 nonyl, isodecyl, lauryl, octadecyl, cyclohexyl, phenyl, methoxymethyl, methoxyethyl, ethoxymethyl or ethoxyethyl acrylate.

For the purposes of the present invention, the term vinylaromatic monomer is understood to refer
20 to an aromatic monomer containing ethylenic unsaturation, such as styrene, vinyltoluene, α -methylstyrene, 4-methylstyrene, 3-methylstyrene, 4-methoxystyrene, 2-(hydroxymethyl)styrene, 4-ethylstyrene, 4-ethoxystyrene, 3,4-dimethylstyrene,
25 2-chlorostyrene, 3-chlorostyrene, 4-chloro-3-methylstyrene, 3-tert-butylstyrene, 2,4-dichlorostyrene, 2,6-dichlorostyrene and 1-vinylnaphthalene.

As vinyl esters, mention may be made of vinyl acetate, vinyl propionate, vinyl chloride and vinyl fluoride.

As vinylidene monomer, mention is made of
5 vinylidene fluoride.

The term diene monomer is understood to refer to a diene chosen from linear or cyclic, conjugated or non-conjugated dienes such as, for example, butadiene, 2,3-dimethylbutadiene, isoprene, 1,3-pentadiene, 1,4-
10 pentadiene, 1,4-hexadiene, 1,5-hexadiene, 1,9-decadiene, 5-methylene-2-norbornene, 5-vinyl-2-norbornene, 2-alkyl-2,5-norbornadienes, 5-ethylene-2-norbornene, 5-(2-propenyl)-2-norbornene, 5-(5-hexenyl)-2-norbornene, 1,5-cyclooctadiene, bicyclo[2.2.2]octa-
15 2,5-diene, cyclopentadiene, 4,7,8,9-tetrahydroindene and isopropylidene tetrahydroindene.

As olefinic monomers, mention may be made of ethylene, butene, hexene and 1-octene. Fluoroolefinic monomers may also be mentioned.

20

EXAMPLE 1

PREPARATION OF A HOMOPOLYSTYRENE IN THE PRESENCE OF TEMPO.

The reagents below are introduced at room temperature into a 100 ml glass round-bottomed flask
25 under a nitrogen atmosphere, fitted with a mechanical stirrer and a temperature-adjustment system:

- 40 g of styrene (i.e. 0.385 mol),

- 0.21 g of dicumyl peroxide (i.e. 7.7×10^{-4} mol),

- 0.024 g of 2,2,6,6-tetramethyl-1-piperidyloxy (i.e. 1.53×10^{-4} mol of TEMPO).

5 The reaction mixture is then brought to 143°C. The moment at which the reaction mixture reaches the temperature of 143°C is defined as the starting point of the test. After 40 min, 90% conversion is obtained. The percentage of conversion corresponds to
10 the % of monomer converted into polymer and is calculated by proton NMR spectroscopy with integration of the peaks corresponding to the polymer and to the monomer, and by weighing the polymer obtained.

 The final polystyrene, after purification,
15 has a number-average molecular mass of 35,000 and a polydispersity index of 1.8. The purification step consists in dissolving the polystyrene in THF (about ten times the mass of polystyrene) and precipitating the solution from 100 volumes of methanol. The powder
20 obtained is filtered off and then dried. The number-average molecular mass (written as M_n) is determined by gel permeation chromatography (GPC) in THF, after calibration with standard polystyrene samples, and the polydispersity index (written as I_p) is the ratio of
25 the weight-average molecular mass to the number-average molecular mass, both measured by GPC.

EXAMPLE 2 (COMPARATIVE)**PREPARATION OF A HOMOPOLYSTYRENE IN THE
ABSENCE OF TEMPO**

The process is performed as in Example 1,
5 except that no TEMPO is added. For the same
polymerization conditions, after reaction for 40 min,
90% conversion is obtained and the polystyrene
synthesized has an Mn of 39,500 and a polydispersity
index of 2.2.

10

EXAMPLE 3**SYNTHESIS OF POLYSTYRENE-*b*-POLY(*n*-BUTYL
ACRYLATE) BLOCK COPOLYMERS**

The reagents below are introduced at room
temperature into a 100 ml glass round-bottomed flask
15 under a nitrogen atmosphere, fitted with a mechanical
stirrer and a temperature-adjustment system:

- 20 g of styrene (i.e. 0.192 mol),
- 0.216 g of dicumyl peroxide (i.e. 8×10^{-4}
mol),
- 20 - 0.0245 g of TEMPO (i.e. 1.57×10^{-4} mol).

The reaction mixture is then brought to
143°C. The moment at which the reaction mixture reaches
the temperature of 143°C is defined as the starting
point of the text. After 35 min, a sample is taken and
25 analysed: the degree of conversion is 90% and the
polystyrene has an Mn of 21,000 and a polydispersity
index of 1.8.

While maintaining the temperature of the reaction mixture at 143°C, 30 g of butyl acrylate are added. As the reaction proceeds, the viscosity of the mixture increases. After reaction for 20 min, the
5 reaction mixture sets to a solid, which implies that the polymerization has stopped. A sample is then taken in order to be analysed by GPC.

Next, the reaction mixture is dissolved in THF (in about 10 times the mass of polymer obtained)
10 and is then precipitated from 100 volumes of methanol. The copolymer obtained has an Mn of 32,000 and a polydispersity index of 3. The GPC chromatogram is monomodal without a shoulder. Furthermore, the GPC chromatogram is shifted towards high masses when
15 compared with the chromatogram obtained immediately before addition of butyl acrylate. These two results clearly show that copolymerization has taken place.

EXAMPLE 4

SYNTHESIS OF PS-*b*-PBuA BLOCK COPOLYMERS

20 The process is performed as in the above example, except that half as much initiator and stable free radical (TEMPO) are used relative to the monomer. The final copolymer has an Mn of 57,000 and an Ip of 2.7. The GPC curve is monomodal without a shoulder.
25 Furthermore, it is shifted towards high masses when compared with the chromatogram obtained immediately before addition of butyl acrylate, which shows that copolymerization has indeed taken place.

Differential calorimetry analysis (DSC for "Differential Scanning Calorimetry") shows the presence of two glass transition temperatures at -45°C and at 95°C , respectively characterizing the poly(butyl acrylate) block and the polystyrene block.

EXAMPLE 5 (COMPARATIVE)

The process is performed as in Example 3, except that no TEMPO is added.

The final copolymer has an M_n of 27,000 and an I_p of 5.4. The GPC curve is bimodal and one of its peaks is identical to that obtained before the attempt to produce the poly(butyl acrylate) block. This indicates that copolymerization has not taken place and that the product finally obtained is only a mixture of two homopolymers.

EXAMPLE 6

The process is performed as in Example 4, except that the butyl acrylate is replaced by the same number of moles of butyl methacrylate and the purification step is carried out in hexane.

The final copolymer has an M_n of 52,000 and an I_p of 1.9. The GPC analysis indicates that copolymerization has indeed taken place. The DSC analysis shows the presence of two glass transition temperatures at 35°C and 95°C , respectively characterizing the poly(butyl methacrylate) block and the polystyrene block.

EXAMPLE 7 (COMPARATIVE)**ATTEMPT TO PREPARE A POLYSTYRENE/POLY(BUTYL METHACRYLATE) BLOCK COPOLYMER IN THE PRESENCE OF A HIGH CONCENTRATION OF TEMPO**

5 The following reagents are introduced at room temperature into a 100 ml glass round-bottomed flask under a nitrogen atmosphere, fitted with a mechanical stirrer and a temperature-adjustment system:

- 40 g of styrene (i.e. 0.384 mol),
- 10 - 0.775 g of benzoyl peroxide (i.e. 3.22×10^{-3} mol),
- 0.5 g of TEMPO (i.e. 3.2×10^{-3} mol).

The reaction mixture is first maintained at 95°C for 3.5 hours and is then brought to 143°C. The
15 moment at which the reaction mixture reaches the temperature of 143°C is defined as the starting point of the test. After 32 hours, 83% conversion is obtained. The number-average molecular mass is 9200 for a polydispersity index of 1.7.

20 While maintaining the temperature of the reaction mixture at 143°C, 30 g of butyl methacrylate are added. In 10 hours of stirring, the viscosity of the mixture does not change. A sample is then taken for analysis by GPC. The GPC analysis shows that the
25 polystyrene made during the first step has not changed during the second step (heating in the presence of butyl methacrylate).

The reaction mixture is then dissolved in THF (in about 10 times the mass of polymer obtained) and is then precipitated from 100 volumes of methanol. Analysis by infrared spectroscopy and by proton NMR 5 shows that there is no methacrylate sequence in the final polymer.

CLAIMS

1. Process for the preparation of a polymer or copolymer comprising a step of polymerization or copolymerization of at least one monomer which can be
 5 polymerized via a radical route, in the presence of a polymerization or copolymerization initiator and of a stable free radical, the said step being such that, per 100 mol of monomer, the following relationships are confirmed:

$$10 \quad \frac{F_{SFR} \times (SFR)}{F_{INIT} \times (INIT)} < 0.15$$

and

$$F_{SFR} \times (SFR) < 0.2 \text{ mol},$$

15 in which

- (SFR) represents the number of moles of stable free radical in the polymerization or copolymerization medium,
- F_{SFR} represents the functionality of the
 20 stable free radical, i.e. the number of sites on the same stable free radical molecule in stable free radical form,
- (INIT) represents the number of moles of polymerization or copolymerization initiator
 25 in the polymerization or copolymerization medium,
- F_{INIT} represents the functionality of the initiator, i.e. the number of sites in free

radical form which each initiator molecule is capable of generating.

2. Process according to Claim 1, characterized in that the step is such that the following relationship is confirmed:

$$0.0005 < \frac{F_{SFR} \times (SFR)}{F_{INIT} \times (INIT)} < 0.15$$

3. Process according to Claim 2, characterized in that the step is such that the following relationship is confirmed:

$$0.005 < \frac{F_{SFR} \times (SFR)}{F_{INIT} \times (INIT)} < 0.1$$

4. Process according to Claim 3, characterized in that the step is such that the following relationship is confirmed:

$$0.005 < \frac{F_{SFR} \times (SFR)}{F_{INIT} \times (INIT)} < 0.05$$

5. Process according to one of Claims 1 to 4, characterized in that the step is such that, per 100 mol of monomer, $F_{INIT} \times (INIT)$ ranges from 0.01 to 20 mol.

6. Process according to Claim 5, characterized in that the step is such that, per 100 mol of monomer, $F_{INIT} \times (INIT)$ ranges from 0.1 to 2 mol.

7. Process according to one of the preceding claims, characterized in that the step is such that, per 100 mol of monomer, $F_{SFR} \times (SFR)$ ranges from 0.0001 to 0.2.

5 8. Process according to Claim 7, characterized in that the step is such that, per 100 mol of monomer, $F_{SFR} \times (SFR)$ ranges from 0.0005 to 0.1.

9. Process according to one of the preceding claims, characterized in that the step of the
10 process according to the invention is carried out in the presence of a solvent in a proportion of from 0 to 20% by weight of the sum of the mass of monomer and solvent.

10. Process according to Claim 9,
15 characterized in that the step of the process according to the invention is carried out in the presence of a solvent in a proportion of from 0 to 10% by weight of the sum of the mass of monomer and solvent.

11. Process according to Claim 10,
20 characterized in that the step of the process according to the invention is carried out in the absence of solvent.

12. Process according to one of the preceding claims, characterized in that the step is
25 carried out at from 100 to 250°C.

13. Process according to Claim 12, characterized in that the step is carried out at from 130 to 200°C.

14. Process according to one of the preceding claims, characterized in that the step is carried out with a degree of conversion of monomer of greater than 50%.

5 15. Process according to Claim 14, characterized in that the step is carried out with a degree of conversion of monomer of greater than 90%.

16. Process according to one of the preceding claims, characterized in that the temperature
10 during the step and in that the initiator are chosen such that the half-life of the initiator at the said temperature ranges from 30 seconds to 1 hour.

17. Process according to Claim 16, characterized in that the half-life of the initiator at
15 the chosen temperature ranges from 5 minutes to 30 minutes.

18. Process according to one of the preceding claims, characterized in that the initiator is chosen from diacyl peroxides, dialkyl peroxides and
20 peroxyacetals.

19. Process according to one of the preceding claims, characterized in that at least one monomer is from the methacrylate family.

20. Process according to one of the preceding claims, characterized in that at least one
25 monomer is a butyl methacrylate.

21. Process for the preparation of a block polymer comprising a step according to one of Claims 1

to 20, leading to the formation of a first living block, followed by the formation of at least one block of a monomer which is different from the one used for the said step.

5 22. Process for the preparation of a diblock polymer, comprising a step according to one of Claims 1 to 20, leading to a first living block of a first monomer, followed by a step during which the first living block is placed in the presence of a second
10 monomer which is polymerized, so as to form a second block attached to the first block.

 23. Process for the preparation of a triblock polymer comprising a step of polymerization of a third monomer in the presence of the diblock polymer
15 prepared by the process of Claim 22, so as to form a third block attached to the diblock polymer.

 24. Process according to one of Claims 21 to 23, characterized in that, between the formation of two blocks, the temperature is at least equal to the lower
20 temperature used to produce one of the two blocks.

 25. Process according to one of Claims 21 to 23, characterized in that, between the formation of two blocks, the temperature remains at least equal to 100°C.

25 26. Process for the preparation of a grafted polymer comprising a step according to one of Claims 1 to 20, in which step the initiator is a macroinitiator comprising a polymer in which at least one atom is

capable of taking a radical form capable of initiating the polymerization of a first monomer in order to form a first living block grafted to the polymer.

27. Process for the preparation of a polymer
5 grafted with a diblock copolymer, comprising a step of polymerization of a second monomer in the presence of the polymer grafted by the process of Claim 26.

28. Process according to one of the
preceding claims, characterized in that it is carried
10 out at least partially in an extruder.

29. Process according to Claim 28,
characterized in that all of the polymerization steps
are carried out in an extruder.

ABSTRACT

* * * * *

**CONTROLLED RADICAL POLYMERIZATION PROCESS USING
A SMALL AMOUNT OF STABLE FREE RADICAL**

* * * * *

COMPANY KNOWN AS: ELF ATOCHEM S.A.
4/8 Cours Michelet
92800 PUTEAUX
FRANCE

AUTHORIZED AGENT: Christian COLOMBIER

INVENTOR: Denis BERTIN

* * * * *

The invention relates to a process for the polymerization of at least one monomer which can be polymerized via a radical route, in the presence of a stable free radical and of a polymerization initiator, such that, per 100 mol of monomer, the molar amounts of stable radical (SFR) and of initiator (INIT) are such that $[(SFR) \times F_{SFR}] / [(INIT) \times F_{INIT}] < 0.15$ and $F_{SFR} \times (SFR) < 0.2$ mol, in which F_{SFR} represents the functionality of the stable free radical and F_{INIT} represents the functionality of the initiator. The process according to the invention has advantageous kinetics, allows the production of grafted or block copolymers and can be carried out in an extruder.

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below at 201 et seq. underneath my name.

I believe I am the original, first and sole inventor if only one name is listed at 201 below, or an original, first and joint inventor if plural names are listed at 201 et seq. below, of the subject matter which is claimed and for which a patent is sought on the invention entitled

CONTROLLED RADICAL POLYMERIZATION PROCESS USING A SMALL AMOUNT OF STABLE FREE RADICAL

and for which a patent application:

- ☒ is filed on the even date herewith.
☐ was filed in the United States on _____ as Application No. _____ (for declaration not accompanying application)
 with amendment(s) filed on _____ (if applicable)
☐ was filed as PCT International application serial no. _____ on _____, and was amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above identified application, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

EARLIEST FOREIGN APPLICATION(S), IF ANY, FILED PRIOR TO THE FILING DATE OF THE APPLICATION			
APPLICATION NUMBER	COUNTRY	DATE OF FILING (day, month, year)	PRIORITY CLAIMED
FR 97 16690	France	December 30, 1997	YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>
			YES <input type="checkbox"/> NO <input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, §119(e) of any United States provisional application(s) listed below.

APPLICATION NUMBER	FILING DATE

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NO.	FILING DATE	STATUS		
		PATENTED	PENDING	ABANDONED

POWER OF ATTORNEY: As a named inventor, I hereby appoint S. Leslie Misrock (Reg. No. 18872), Harry C. Jones, III (Reg. No. 20280), Berj A. Terzian (Reg. No. 20060), Gerald J. Flintoft (Reg. No. 20823), David Weild, III (Reg. No. 21094), Jonathan A. Marshall (Reg. No. 24614), Barry D. Rein (Reg. No. 22411), Stanton T. Lawrence, III (Reg. No. 25736), Isaac Jarkovsky (Reg. No. 22713), Joseph V. Colaanni (Reg. No. 20019), Charles E. McKenney (Reg. No. 22795), Philip T. Shannon (Reg. No. 24278), Francis E. Morris (Reg. No. 24615), Charles E. Miller (Reg. No. 24576), Gidon D. Stern (Reg. No. 27469), John J. Lauter, Jr. (Reg. No. 27814), Brian M. Poissant (Reg. No. 28462), Brian D. Coggio (Reg. No. 27624), Rory J. Radding (Reg. No. 28749), Stephen J. Harbulak (Reg. No. 29166), Donald J. Goodell (Reg. No. 19766), James N. Palik (Reg. No. 25510), Thomas E. Friebe (Reg. No. 29258), Laura A. Coruzzi (Reg. No. 30742), Jennifer Gordon (Reg. No. 30753), Jon R. Stark (Reg. No. 30111), Allan A. Fanucci (Reg. No. 30256), Geraldine F. Baldwin (Reg. No. 31232), Victor N. Balancia (Reg. No. 31231), Samuel B. Abrams (Reg. No. 30605), Steven I. Wallach (Reg. No. 35402), Marcia H. Sundeen (Reg. No. 30893), Paul J. Zegger (Reg. No. 33821), Edmond R. Bannon (Reg. No. 32110), Bruce J. Barker (Reg. No. 33291), Adriane M. Antler (Reg. No. 32605), Ann L. Gisolfi (Reg. No. 31956), Mark A. Farley (Reg. No. 33170), and James G. Markey (Reg. No. 31636), all of Pennie & Edmonds LLP, whose addresses are 1155 Avenue of the Americas, New York, New York 10036, 1667 K Street N.W., Washington, DC 20006 and 3300 Hillview Avenue, Palo Alto, CA 94304, and each of them, my attorneys, to prosecute this application, and to transact all business in the Patent and Trademark Office connected therewith.

SEND CORRESPONDENCE TO: PENNIE & EDMONDS LLP 1155 AVENUE OF THE AMERICAS NEW YORK, N.Y. 10036-2711						DIRECT TELEPHONE CALLS TO: PENNIE & EDMONDS LLP DOCKETING (212) 790-2803	
2 0 1	FULL NAME OF INVENTOR	LAST NAME BERTIN	FIRST NAME Denis	MIDDLE NAME			
	RESIDENCE & CITIZENSHIP	CITY Motteville	STATE OR FOREIGN COUNTRY France		COUNTRY OF CITIZENSHIP France		
	POST OFFICE ADDRESS	STREET Le Gall Gremonville	CITY Motteville	STATE OR COUNTRY France	ZIP CODE 76970		
2 0 2	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME			
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP		
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE		
2 0 3	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME			
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP		
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE		
2 0 4	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME			
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP		
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE		
2 0 5	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME			
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP		
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE		

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
<u>Denis BERTIN</u>		
DATE	DATE	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE